



06-21-05

CofC

DFW

CERTIFICATE OF MAILING 37 C.F.R. 1.10	
PURSUANT TO 37 CFR 1.10, I HEREBY CERTIFY THAT I HAVE INFORMATION AND A REASONABLE BASIS FOR BELIEF THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS EXPRESS MAIL POST OFFICE TO ADDRESSEE ON THE DATE INDICATED BELOW AND IS ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. Box 1450, ALEXANDRIA, VA 22313-1450.	
 JULIE CLEMENTS	<u>06.20.2005</u> DATE
EXPRESS MAIL LABEL: EV317622149US	DATE OF MAILING: JUNE 20, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Certificate
JUN 27 2005
of Correction

In re Application of:	§	
GOODHUE, JR. ET AL.	§	
	§	
Serial No.: 10/880,409	§	Group Art Unit: 1712
Filed: JUNE 13, 2001	§	
	§	
Patent No. 6,897,186	§	Examiner: Tucker, Philip C.
Issue Date: MAY 24, 2005	§	
	§	
For: COMPOSITION AND METHOD FOR A	§	
DUAL-FUNCTION SOIL-GROUTING	§	
EXCAVATING OR BORING FLUID	§	

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed are two originals of Form PTO/SB/44 respectfully submitted to correct the Assignee name and state, and to correct two claims errors which are of a minor and typographical nature, on the above-issued Letters Patent.


A Certificate of Correction is respectfully requested under 35 U.S.C. § 254.

Request for Certificate of Correction
Serial No.: 10/880,409

No fees are believed due because the errors are due to Patent Office oversights. However, the Commissioner is authorized to charge any fees that may be required to Deposit Account No. 01-2508/11084.0015.CNUS02.

To facilitate the resolution of any issues or questions presented by this paper, the Examiner should directly contact the undersigned by phone to further the discussion.

Respectfully submitted,



Stephen H. Cagle
Reg. No. 26,445
Attorney for Assignee
KB INTERNATIONAL, LLC

Customer No. 23369
HOWREY LLP
2941 Fairview Park Dr., Box 7
Falls Church, VA 22042
713.787.1400 (phone)
703.336.6950 (fax)

Date: June 20, 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1PATENT NO. : 6,897,186 *172*

APPLICATION NO.: 09/880,409

ISSUE DATE : MAY 24, 2005

INVENTOR(S) : GOODHUE, JR. et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please correct the Assignee Name and State, as below.

Please correct claims 2.j. and 11.e. to read as allowed.

Assignee: KB International, LLC (Chattanooga, TN)

2. j. methacryloxyethyl dimethylamine, methacrylamido propyl dimethylamine, dimethyl diallyl ammonium chloride, diethyl diallyl ammonium chloride, and their methyl sulfate and methyl chloride derivatives and water soluble or dispersible salts and combinations thereof.

11.e. a silicate component, said silicate component being selected from sodium orthosilicate, sodium sesquisilicate, sodium metasilicate, sodium disilicate and combinations thereof.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HOWREY LLP (Attn. Stephen H. Cagle)
2941 FAIRVIEW PARK DRIVE, BOX 7
FALLS CHURCH, VA 22042

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.